# Quantum Sensors and High Energy Physics


Surjeet Rajendran, UC Berkeley

# **Grand Challenge of High Energy Physics**

Standard Model experimentally established










# **Grand Challenge of High Energy Physics**

Standard Model experimentally established









We know there is new physics out there




Matter?



**Dark Matter** 



Hierarchy



Dark Energy

# **Grand Challenge of High Energy Physics**

Standard Model experimentally established









We know there is new physics out there




Matter?



**Dark Matter** 




Hierarchy




Dark Energy

Where is this new physics?


Mass? Interactions?





High Luminosity Machines

Remarkable Evolution!



Light,


 $\ll$  weak

High Energy Accelerators

High Luminosity Machines

Remarkable Evolution!





High Energy Accelerators

High Luminosity Machines


Remarkable Evolution!

High Intensity or Cosmic Production

Light,

 $\ll$  weak

Detection?
Quantum Sensors!



Dark matter may be hint of ultra-light sector - axions, hidden photons make great dark matter candidates

Dark matter may be hint of ultra-light sector - axions, hidden photons make great dark matter candidates

Recent Theory Connection: Cosmological Relaxation of the Electroweak Scale

Symmetry based theories for hierarchy problem strongly constrained by LHC. Doesn't work for dark energy

Dark matter may be hint of ultra-light sector - axions, hidden photons make great dark matter candidates

Recent Theory Connection: Cosmological Relaxation of the Electroweak Scale

Symmetry based theories for hierarchy problem strongly constrained by LHC. Doesn't work for dark energy

What if the universe was very old?






Dark matter may be hint of ultra-light sector - axions, hidden photons make great dark matter candidates

Recent Theory Connection: Cosmological Relaxation of the Electroweak Scale


Symmetry based theories for hierarchy problem strongly constrained by LHC. Doesn't work for dark energy


What if the universe was very old?






Slow processes (like erosion) can tune. Ultra-light particles!






Fit in galaxy



Fit in galaxy

Standard Model scale ~ 100 GeV


One Possibility: Same scale for Dark Matter? Weakly Interacting Massive Particles (WIMPs)



Standard Model scale ~ 100 GeV

One Possibility: Same scale for Dark Matter? Weakly Interacting Massive Particles (WIMPs)

Other Generic Candidates: Axions, Massive Vector Bosons, etc... (includes independently motivated QCD axion, relaxion)





Standard Model scale ~ 100 GeV


One Possibility: Same scale for Dark Matter? Weakly Interacting Massive Particles (WIMPs)


Other Generic Candidates: Axions, Massive Vector Bosons, etc... (includes independently motivated QCD axion, relaxion)


How do we search for them?


















Fancy Detector: Quantum Sensor




Fancy Detector: Quantum Sensor

What kinds of effects can we look for?

Study a/c effects of dark matter on electrons, nucleons and photons


Study a/c effects of dark matter on electrons, nucleons and photons (e.g. axion)



#### **SQUID** Sensor


Magnetic Field 
$$\lesssim 10^{-16} \frac{\mathrm{T}}{\sqrt{\mathrm{Hz}}} \;\; \cos{\left(m_a t\right)}$$

Study a/c effects of dark matter on electrons, nucleons and photons




Magnetic Field 
$$\lesssim 10^{-16} \frac{\mathrm{T}}{\sqrt{\mathrm{Hz}}} \; \cos{\left(m_a t\right)}$$

Study a/c effects of dark matter on electrons, nucleons and photons




SQUID Sensor (neutrino masses?) Magnetic Field 
$$\lesssim 10^{-16} \frac{\mathrm{T}}{\sqrt{\mathrm{Hz}}} \; \cos{(m_a t)}$$


Study a/c effects of dark matter on electrons, nucleons and photons



SQUID Sensor (neutrino masses?)

Magnetic Field 
$$\lesssim 10^{-16} \frac{\mathrm{T}}{\sqrt{\mathrm{Hz}}} \; \cos{\left(m_a t\right)}$$






Direct force on atoms, measure acceleration

Accelerations 
$$\lesssim 10^{-13} \frac{\text{g}}{\sqrt{\text{Hz}}} \cos(m_a t)$$


Study a/c effects of dark matter on electrons, nucleons and photons



SQUID Sensor (neutrino masses?)

Magnetic Field 
$$\lesssim 10^{-16} \frac{\mathrm{T}}{\sqrt{\mathrm{Hz}}} \; \cos{\left(m_a t\right)}$$






Direct force on atoms, measure acceleration

Accelerations 
$$\lesssim 10^{-13} \frac{\text{g}}{\sqrt{\text{Hz}}} \cos(m_a t)$$

Sensitivity scales with size (volume, time...)

#### **Precision Instruments**

#### Impressive developments in the past two decades



Magnetic Field 
$$\lesssim 10^{-16} \frac{T}{\sqrt{\text{Hz}}}$$


(SQUIDs, atomic magnetometers)



$$\begin{array}{ll} {\rm Accelerometers} & \lesssim 10^{-13} \frac{g}{\sqrt{\rm Hz}} \\ & \text{(atom and optical interferometers)} \end{array}$$

#### **Precision Instruments**

#### Impressive developments in the past two decades








$$\begin{array}{ll} {\rm Accelerometers} & \lesssim 10^{-13} \frac{\rm g}{\sqrt{\rm Hz}} \\ & \text{(atom and optical interferometers)} \end{array}$$

Base sensor capabilities exist to probe light, ultra weakly coupled physics relevant to dark matter, hierarchy problem etc.

Rapid technological advancements

#### **Precision Instruments**

Impressive developments in the past two decades







$$\begin{array}{ll} {\rm Accelerometers} & \lesssim 10^{-13} \frac{\rm g}{\sqrt{\rm Hz}} \\ & \text{(atom and optical interferometers)} \end{array}$$

Base sensor capabilities exist to probe light, ultra weakly coupled physics relevant to dark matter, hierarchy problem etc.

Rapid technological advancements

HEP Dream: Quantum limited macroscopic sensor

QIS Dream: Quantum limited macroscopic computer

# The Precision Dream







